

RECEIVED  
CENTRAL FAX CENTER

APR 26 2007

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the Application.

**Listing of Claims**

1. (Currently Amended) A composition comprising:

- a) a first polymer or polymer mixture with a glass transition temperature ("T<sub>g</sub>") from 75° C to 130° C;
- b) a second polymer or polymer mixture with a T<sub>g</sub> from 20° C to 35°C; and
- c) one or more cosmetically acceptable solvents;

wherein when the first polymer or polymer mixture and the second polymer or polymer mixture are dissolved together in a cosmetically acceptable solvent, which may be the same as or different than the solvent in c), and then dried to form a film, the film has a tensile storage modulus at 20° C of from  $1 \times 10^{10}$  Pascal to  $1 \times 10^8$  Pascal and a storage modulus at 70° C of from  $1 \times 10^9$  Pascal to  $1 \times 10^6$  Pascal; and

wherein the first polymer and the second polymer are independently selected from block, graft, and branched homopolymers and copolymers derived from one or more monomers selected from methacrylic acid; acrylic acid; methacrylate esters, acrylate esters, styrene, substituted styrenes, vinyl esters of organic acids, N-vinyl compounds, acrylamide; methacrylamide; substituted acrylamides, amine-functional acrylamides, substituted methacrylamides; hydroxylalkyl methacrylates, hydroxylalkyl acrylates, dienes, vinyl ethers, acid containing monomers, and functional monomers selected from maleic acid, maleic anhydride, fumaric acid,  $\alpha$ -methylene glutaric acid, itaconic acid, itaconic anhydride, citraconic acid, mesaconic acid, cyclohexenedicarboxylic acid, 2-acrylamido-2-methylpropanesulfonic acid, monoacryloxymethyl, and water-soluble salts thereof.

- 2. (Canceled)
- 3. (Canceled).
- 4. (Canceled).
- 5. (Canceled)

6. (Canceled)
7. (Currently Amended) A hair styling composition comprising:
  - a) a composition of claim 1; and
  - b) ~~one or more cosmetically acceptable solvents; and~~
  - e) ~~one or more cosmetically acceptable ingredients selected from perfumes, dyestuffs,~~  
preservatives, sequestering agents, thickeners, silicones, softeners, foam synergistic agents, foam stabilizers, sun filters, peptizing agents, conditioning agents, shine agents, proteins, herbals, botanicals, neutralizers, plasticizers, and anionic, non-ionic, cationic, or amphoteric surfactants, and mixtures thereof;
8. (Withdrawn) A method for styling hair comprising the steps of:
  - a) applying to the hair an effective styling amount of a composition comprising:
    - i) a first polymer or polymer mixture with a glass transition temperature ("Tg") from 75° C to 130° C;
    - ii) a second polymer or polymer mixture with a Tg from 20° C to 35°C; and
    - iii) one or more cosmetically acceptable solvents;wherein when the first polymer or polymer mixture and the second polymer or polymer mixture are dissolved together in a cosmetically acceptable solvent, which may be the same as or different than the solvent in c), and then dried to form a film, the film has a tensile storage modulus at 20° C of from  $1 \times 10^{10}$  Pascal to  $1 \times 10^8$  Pascal and a storage modulus at 70° C of from  $1 \times 10^9$  Pascal to  $1 \times 10^6$  Pascal; andwherein the first polymer and the second polymer are independently selected from block, graft, and branched homopolymers and copolymers derived from one or more monomers selected from methacrylic acid; acrylic acid; methacrylate esters, acrylate esters, styrene, substituted styrenes, vinyl esters of organic acids, N-vinyl compounds, acrylamide; methacrylamide; substituted acrylamides, amine-functional acrylamides, substituted methacrylamides; hydroxylalkyl methacrylates, hydroxylalkyl acrylates, dienes, vinyl ethers, acid containing monomers; and functional monomers selected from maleic acid, maleic anhydride, fumaric acid,  $\alpha$ -methylene glutaric acid, itaconic acid, itaconic anhydride, citraconic acid, mesaconic acid, cyclohexenedicarboxylic

acid, 2-acrylamido-2-methylpropanesulfonic acid, monoacryloxyethyl, and water-soluble salts thereof.

- b) fixing the hair in a desired configuration.
- 9. (Withdrawn) A method for styling hair comprising the steps of:
  - a) fixing the hair in a desired configuration; and
  - b) applying to the hair an effective styling amount of a composition comprising:
    - i) a first polymer or polymer mixture with a glass transition temperature ("Tg") from 75° C to 130° C;
    - ii) a second polymer or polymer mixture with a Tg from 20° C to 35° C; and
    - iii) one or more cosmetically acceptable solvents;

wherein when the first polymer or polymer mixture and the second polymer or polymer mixture are dissolved together in a cosmetically acceptable solvent, which may be the same as or different than the solvent in c), and then dried to form a film, the film has a tensile storage modulus at 20° C of from  $1 \times 10^{10}$  Pascal to  $1 \times 10^8$  Pascal and a storage modulus at 70° C of from  $1 \times 10^9$  Pascal to  $1 \times 10^6$  Pascal; and

wherein the first polymer and the second polymer are independently selected from block, graft, and branched homopolymers and copolymers derived from one or more monomers selected from methacrylic acid; acrylic acid; methacrylate esters, acrylate esters, styrene, substituted styrenes, vinyl esters of organic acids, N-vinyl compounds, acrylamide; methacrylamide; substituted acrylamides, amine-functional acrylamides, substituted methacrylamides; hydroxylalkyl methacrylates, hydroxylalkyl acrylates, dienes, vinyl ethers, acid containing monomers, and functional monomers selected from maleic acid, maleic anhydride, fumaric acid,  $\alpha$ -methylene glutaric acid, itaconic acid, itaconic anhydride, citraconic acid, mesaconic acid, cyclohexenedicarboxylic acid, 2-acrylamido-2-methylpropanesulfonic acid, monoacryloxyethyl, and water-soluble salts thereof.